ELSEVIER

Physica C 270 (1996) 361–364

PHYSICA C

Author Index to Volume 270

Adachi, S., see Tatsuki, T., **270**, 327
Agop, M., see Buzea, C., **270**, 317
Alario-Franco, M.A., see Rial, C., **270**, 51
Aliev, F.G., see Le Bihan, T., **270**, 159
Amador, U., see Rial, C., **270**, 51
Anders, A., see Chae, M.S., **270**, 173
Anders, S., see Chae, M.S., **270**, 173
Andersen, N.H., see Rial, C., **270**, 51
André, G., see Le Bihan, T., **270**, 159
Attfield, J.P., see Marcos, M.D., **270**, 267
Aukkaravittayapun, S., P.J. King, K.A. Benedict, Yu.I. Latyshev, I.G. Gorlova, S. Zybtsev, A. Campbell, R.A. Doyle, J. Johnson and W.S. Seow, Four contact electrical measurements on the anisotropic high-T_c superconductors: voltage reversals, **270**, 231
Ausloos, M., see Stassen, S., **270**, 135

Baldo, P.M., see Vuchic, B.V., **270**, 75
Ban, M., Y. Mizuno, K. Suzuki and Y. Enomoto, Stability of $NdBa_2Cu_3O_{7-x}$ based resonators in humid conditions, **270**, 129
Bednarczyk, P.J., see Specht, E.D., **270**, 91
Belouet, C., see Martínez, O., **270**, 144
Benedict, K.A., see Aukkaravittayapun, S., **270**, 231
Brown, I.G., see Chae, M.S., **270**, 173
Bruynseraede, Y., see Le Bihan, T., **270**, 159
Buchholz, D.B., see Vuchic, B.V., **270**, 75
Buekenhoudt, A., see Weyten, H., **270**, 207
Buzea, C., T. Yamashita, K. Nakajima, C.Gh. Buzea and M. Agop, The isotope effect coefficient dependence on nonstoichiometry for single CuO layer superconductors, **270**, 317
Buzea, C.Gh., see Buzea, C., **270**, 317

Campbell, A., see Aukkaravittayapun, S., **270**, 231
Cardona, M., see Zhou, X., **270**, 193
Chae, M.S., M.T. Simnad, M.B. Maple, S. Anders, A. Anders and I.G. Brown, Properties of cathodic arc deposited high-temperature superconducting composite thin films on Ag substrates, **270**, 173
Chambonnet, D., see Martínez, O., **270**, 144
Chang, R.P.H., see Vuchic, B.V., **270**, 75
Che, G.C., B. Yin, S.L. Jia, S.Q. Guo, H. Chen, F. Wu, C. Dong and Z.X. Zhao, Preparation and superconductivity of the co-doped superconductor $Nd_{2-x-y}Ca_yCe_xCuO_4$ with T′ structure, **270**, 354
Chen, H., see Che, G.C., **270**, 354
Chen, W.M., C.C. Lam, J.F. Geng, L.Y. Li, K.C. Hung and X. Jin, A new calculating formula of iodometric titration for high T_c superconductors, **270**, 155
Chen, W.M., W. Hong, J.F. Geng, X.S. Wu, W. Ji, L.Y. Li, L. Qui and X. Jin, Iodometric titration for determining the oxygen content of samples doped with Fe and Co, **270**, 349
Chen, W.M., see Lam, C.C., **270**, 333
Chen, Z.Y., see Luo, H.M., **270**, 167
Chen, Z.Y., see Luo, H.M., **270**, 249
Chen, Z.Y., see Luo, H.M., **270**, 253
Chesca, B., Theory of a UHF pumped double SQUID, **270**, 1
Chu, C.W., see Zhou, X., **270**, 193
Cloots, R., see Stassen, S., **270**, 135
Cornelis, J., see Weyten, H., **270**, 207
Correra, L., see Martínez, O., **270**, 144

Dean, K.A., see Vuchic, B.V., **270**, 75
Degoy, S., see Martínez, O., **270**, 144
DeLuca, J.A., see Specht, E.D., **270**, 91
Dong, C., see Che, G.C., **270**, 354
Doyle, R.A., see Aukkaravittayapun, S., **270**, 231

Edwards, P.P., see Lees, S.T., **270**, 305
Egi, T., J.G. Wen, K. Kuroda, H. Mori, H. Unoki and N. Koshizuka, Field-induced pinning effect of $Nd(Ba_{1-x}Nd_x)_2Cu_3O_{7-\delta}$ single crystals grown by the traveling-solvent floating-zone method, **270**, 223
Enomoto, Y., see Ban, M., **270**, 129
Erb, A., see Fietz, W.H., **270**, 258

Feng, J., see Lam, C.C., **270**, 333
Fietz, W.H., R. Quenzel, H.A. Ludwig, K. Grube, S.I. Schlachter, F.W. Hornung, T. Wolf, A. Erb, M. Kläser, G. Müller-Vogt, Giant pressure effect in oxygen deficient $YBa_2Cu_3O_x$, **270**, 258
Fransen, G., see Weyten, H., **270**, 207
Fukunaga, T., see Oota, A., **270**, 107

Gameson, I., see Lees, S.T., **270**, 305
Geng, J.F., see Chen, W.M., **270**, 155
Geng, J.F., see Chen, W.M., **270**, 349
Geserich, H.P., see Münzel, J., **270**, 311
Goodwin, T.J., see Hasan, M.K., **270**, 216

Gorelenko, Yu.K., see Le Bihan, T., **270**, 159
Gorlova, I.G., see Aukkaravittayapun, S., **270**, 231
Goyal, A., see Specht, E.D., **270**, 91
Greaves, C., see Lees, S.T., **270**, 305
Grube, K., see Fietz, W.H., **270**, 258
Gunasekaran, R.A., B. Hellebrand and P.L. Steger, Crystal structure, oxygen stoichiometry and superconducting properties of $GdBa_{2-x}Sr_xCu_3O_{7-\delta}$ ($0.0 \leq x \leq 1.6$), **270**, 25
Guo, S.Q., see Che, G.C., **270**, 354

Hasan, M.K., J.S. Kouvel, H.B. Radousky, T.J. Goodwin and R.N. Shelton, Vortex pinning in polycrystalline $Eu_{1.5}Ce_{0.5}Sr_2Cu_2NbO_{10}$ from rotational magnetic measurements, **270**, 216
Hash, M., see Tetenbaum, M., **270**, 114
Hatton, P.D., see Johnson, S.T., **270**, 41
Hellebrand, B., see Gunasekaran, R.A., **270**, 25
Hikihara, T. and G. Isozumi, Modeling of lateral force-displacement hysteresis caused by local flux pinning, **270**, 68
Hong, W., see Chen, W.M., **270**, 349
Hornung, F.W., see Fietz, W.H., **270**, 258
Hung, K.C., see Chen, W.M., **270**, 155
Hung, K.C., see Lam, C.C., **270**, 333

Isobe, T., see Kashimura, T., **270**, 297
Isozumi, G., see Hikihara, T., **270**, 68
Ito, T., see Oota, A., **270**, 107
Itoh, M., see Kashimura, T., **270**, 297

Ji, W., see Chen, W.M., **270**, 349
Jia, S.L., see Che, G.C., **270**, 354
Jia, S.L., see Sun, J.J., **270**, 343
Jiménez, J., see Martínez, O., **270**, 144
Jin, X., see Chen, W.M., **270**, 155
Jin, X., see Chen, W.M., **270**, 349
Jin, X., see Lam, C.C., **270**, 333
Johnson, J., see Aukkaravittayapun, S., **270**, 231
Johnson, S.T. and P.D. Hatton, An in situ X-ray scattering study of high-temperature structural changes in $Bi_2Sr_2CaCu_2O_{8+\delta}$, **270**, 41
Jones, M.O., see Lees, S.T., **270**, 305

Kashimura, T., T. Isobe, M. Senna, M. Itoh and T. Koizumi, Reactive sintering for oriented and connected Bi-2223 superconductive oxides from a mixture of delaminated Bi-2212 and fine powdered supplemental ingredients, **270**, 297
Katona, T.M. and S.W. Pierson, Zero-field current–voltage characteristics in high-temperature superconductors, **270**, 242
Kemps, R., see Weyten, H., **270**, 207
King, P.J., see Aukkaravittayapun, S., **270**, 231
Kläser, M., see Fietz, W.H., **270**, 258
Koizumi, T., see Kashimura, T., **270**, 297
Koshizuka, N., see Egi, T., **270**, 223
Kouvel, J.S., see Hasan, M.K., **270**, 216
Kroeger, D.M., see Specht, E.D., **270**, 91
Kuroda, K., see Egi, T., **270**, 223

Lam, C.C., L.W. Shao, X. Jin, W.M. Chen, H.Q. Xiong, J. Feng, S.R. Qi and K.C. Hung, Positron annihilation in the hydrogenated granular superconductor of $YBa_2Cu_3O_{7-\delta}$, **270**, 333
Lam, C.C., see Chen, W.M., **270**, 155
Langford, I., see Lees, S.T., **270**, 305
Latyshev, Yu.I., see Aukkaravittayapun, S., **270**, 231
Le Bihan, T., G. André, F.G. Aliev, H. Noël, Yu.K. Gorelenko, V.V. Moshchalkov and Y. Bruynseraede, Magnetic structure of antiferromagnetic superconductor $Tb_2Mo_3Si_4$, **270**, 159
Lees, S.T., I. Gameson, M.O. Jones, P.P. Edwards, C. Greaves, F. Wellhofer, P. Woodall, I. Langford and M. Slaski, Induction of superconductivity in pulsed laser ablated La_2CuO_4 thin films by post-deposition fluorination, **270**, 305
Li, J.W., see Sun, J.J., **270**, 343
Li, L., see Sun, J.J., **270**, 343
Li, L.Y., see Chen, W.M., **270**, 155
Li, L.Y., see Chen, W.M., **270**, 349
Li, R.K., see Luo, H.M., **270**, 167
Li, Z.-Z., see Shi, D.-N., **270**, 274
Liang, J.K., see Yang, J.L., **270**, 35
Lin, Q.M., see Zhou, X., **270**, 193
Loureiro, S.M., see Zhou, X., **270**, 193
Ludwig, H.A., see Fietz, W.H., **270**, 258
Luo, H.M., B. Qu, Z.Y. Chen, Y.T. Qian and L. Yang, A new family of Pb based 1222 cuprates $(Pb,Mg)(Sr,R)_2(R',Ce)_2Cu_2O_y$ (R,R': rare-earth element), **270**, 253
Luo, H.M., B. Qu, Z.Y. Chen, Y.T. Qian and W.C. Yu, Synthesis and superconductivity of $(Pb_{0.5}Cd_{0.5})(Sr_{0.9}R_{0.1})_2(R'_{0.7}Ce_{0.3})_2Cu_2O_y$, **270**, 249
Luo, H.M., Z.Y. Chen and R.K. Li, New cuprates with the 1222 structure: $(Ce,M)Sr_2(Gd,Ce)_2Cu_2O_y$ (M = Zn,Ni), **270**, 167

Maple, M.B., see Chae, M.S., **270**, 173
Marcos, M.D. and J.P. Attfield, Crystal structure of $Tl_{0.5}Pb_{0.5}Sr_2Ca_2Cu_3O_9$ at 300 K and around T_c (118 K), **270**, 267
Marezio, M., see Zhou, X., **270**, 193
Marks, L.D., see Vuchic, B.V., **270**, 75
Maroni, V.A., see Tetenbaum, M., **270**, 114
Martín, P., see Martínez, O., **270**, 144
Martínez, O., J. Jiménez, P. Martín, A.C. Prieto, S. Degoy, D. Chambonnet, C. Belouet, S. Nicoletti and L. Correra, A microRaman study of the structural properties of PLD high T_c superconducting thin films, **270**, 144
Merkle, K.L., see Vuchic, B.V., **270**, 75
Mizuno, Y., see Ban, M., **270**, 129
Mogro-Campero, A., see Specht, E.D., **270**, 91
Morán, E., see Rial, C., **270**, 51
Mori, H., see Egi, T., **270**, 223
Moriwaki, Y., see Tatsuki, T., **270**, 327
Moshchalkov, V.V., see Le Bihan, T., **270**, 159
Müller-Vogt, G., see Fietz, W.H., **270**, 258

Münzel, J., H.P. Geserich and Th. Wolf, Localization of charge carriers in the *c*-axis electronic transport of $YBa_2Cu_3O_x$, **270**, 311

Nakajima, K., see Buzea, C., **270**, 317
Nicoletti, S., see Martínez, O., **270**, 144
Noack, R.M., S.R. White and D.J. Scalapino, The ground state of the two-leg Hubbard ladder A density-matrix renormalization group study, **270**, 281
Noël, H., see Le Bihan, T., **270**, 159

Oota, A., T. Fukunaga and T. Ito, AC transport losses in Ag sheathed $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tapes, **270**, 107

Pierson, S.W., see Katona, T.M., **270**, 242
Prieto, A.C., see Martínez, O., **270**, 144

Qi, S.R., see Lam, C.C., **270**, 333
Qian, Y.T., see Luo, H.M., **270**, 249
Qian, Y.T., see Luo, H.M., **270**, 253
Qin, Y.L., see Yang, J.L., **270**, 35
Qu, B., see Luo, H.M., **270**, 249
Qu, B., see Luo, H.M., **270**, 253
Quenzel, R., see Fietz, W.H., **270**, 258
Qui, L., see Chen, W.M., **270**, 349

Radousky, H.B.. see Hasan, M.K., **270**, 216
Rao, G.H., see Yang, J.L., **270**, 35
Rial, C., E. Morán, M.A. Alario-Franco, U. Amador and N.H. Andersen, On the structural properties and superconductivity of room-temperature chemically oxidized $La_{2-x}Ba_xCuO_{4+y}$ $(0 \leq x \leq 0.15)$, **270**, 51
Rulmont, A., see Stassen, S., **270**, 135

Scalapino, D.J., see Noack, R.M., **270**, 281
Schlachter, S.I., see Fietz, W.H., **270**, 258
Senna, M., see Kashimura, T., **270**, 297
Seow, W.S., see Aukkaravittayapun, S., **270**, 231
Shao, L.W., see Lam, C.C., **270**, 333
Shelton, R.N., see Hasan, M.K., **270**, 216
Shi, D.-N. and Z.-Z. Li, The effect of nonmagnetic doping on high-T_c superconductivity, **270**, 274
Shi, J.B., Superconductivity and magnetism of $(Hg_{0.7}Bi_{0.3})Sr_2(Ca_{1-x}R_x)Cu_2O_{6+\delta}$ system (R = Gd, Nd and Y), **270**, 97
Shi, Y., see Yang, J.L., **270**, 35
Simnad, M.T., see Chae, M.S., **270**, 173
Slaski, M., see Lees, S.T., **270**, 305
Specht, E.D., A. Goyal, D.M. Kroeger, A. Mogro-Campero, P.J. Bednarczyk, J.E. Tkaczyk and J.A. DeLuca, Critical current, film thickness and grain alignment for spray-pyrolyzed films of $TlBa_2Ca_2Cu_3O_x$, **270**, 91
Stassen, S., A. Rulmont, M. Ausloos and R. Cloots, Interdiffusion between $SrCuO_2$ and a glassy precursor. Toward the understanding of the mechanism of formation of Bi based 2223 superconducting bulk ceramics, **270**, 135
Steger, P.L., see Gunasekaran, R.A., **270**, 25
Sun, J.J., L.Z. Zheng, B.R. Zhao, B. Xu, J.W. Li, B. Yin, F. Wu, S.L. Jia, L. Li and Z.X. Zhao, Thermally activated flux dissipation in *c*-axis-oriented $YBa_2Cu_3O_{7-\delta}$ ultrathin films, **270**, 343
Suzuki, K., see Ban, M., **270**, 129

Tamura, T., see Tatsuki, T., **270**, 327
Tanabe, K., see Tatsuki, T., **270**, 327
Tang, W.H., see Yang, J.L., **270**, 35
Tani, B.S., see Tetenbaum, M., **270**, 114
Tatsuki, T., T. Tamura, Y. Moriwaki, X.-J. Wu, S. Adachi and K. Tanabe, New oxychlorides, T^*-type $CaRCuO_3Cl$ (R = Y, Ho and Er), prepared under high pressure, **270**, 327
Ten Haken, B. and H.H.J. ten Kate, Lattice deformation in an axially strained BiSrCaCuO/Ag tape conductor investigated by X-ray diffraction, **270**, 21
Ten Kate, H.H.J., see ten Haken, B., **270**, 21
Tetenbaum, M., M. Hash, B.S. Tani and V.A. Maroni, Oxygen stoichiometry, phase stability, and thermodynamic behavior of the lead-doped and lead-free Bi-2212 systems, **270**, 114
Tkaczyk, J.E., see Specht, E.D., **270**, 91

Unoki, H., see Egi, T., **270**, 223

Vuchic, B.V., K.L. Merkle, P.M. Baldo, K.A. Dean, D.B. Buchholz, R.P.H. Chang, H. Zhang and L.D. Marks, The formation, transport properties and microstructure of 45° [001] grain boundaries induced by epitaxy modification in $YBa_2Cu_3O_{7-x}$ thin films, **270**, 75

Wellhofer, F., see Lees, S.T., **270**, 305
Wen, J.G., see Egi, T., **270**, 223
Weyten, H., G. Fransen, R. Kemps, A. Buekenhoudt and J. Cornelis, Synthesis of $YBa_2Cu_3O_{7-x}$ superconducting thin films on $LaAlO_3$ by means of PAMOCVD, **270**, 207
White, S.R., see Noack, R.M., **270**, 281
Wolf, T., see Fietz, W.H., **270**, 258
Wolf, Th., see Münzel, J., **270**, 311
Woodall, P., see Lees, S.T., **270**, 305
Wu, F., see Che, G.C., **270**, 354
Wu, F., see Sun, J.J., **270**, 343
Wu, X.-J., see Tatsuki, T., **270**, 327
Wu, X.S., see Chen, W.M., **270**, 349

Xiong, H.Q., see Lam, C.C., **270**, 333
Xu, B., see Sun, J.J., **270**, 343

Yamashita, T., see Buzea, C., **270**, 317
Yang, J.L., J.K. Liang, G.H. Rao, Y.L. Qin, Y. Shi and W.H. Tang, Synthesis and superconductivity of $Nd_{0.7}Sr_{1.3}Cu(O,F)_{4-\delta}$ with T_c = 44 K, **270**, 35
Yang, L., see Luo, H.M., **270**, 253
Yin, B., see Che, G.C., **270**, 354
Yin, B., see Sun, J.J., **270**, 343
Yu, W.C., see Luo, H.M., **270**, 249

Zhang, H., see Vuchic, B.V., **270**, 75
Zhao, B.R., see Sun, J.J., **270**, 343
Zhao, Z.X., see Che, G.C., **270**, 354
Zhao, Z.X., see Sun, J.J., **270**, 343
Zheng, L.Z., see Sun, J.J., **270**, 343
Zhou, X., M. Cardona, C.W. Chu, Q.M. Lin, S.M. Loureiro and M. Marezio, Raman study of $HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ ($n = 1, 2, 3, 4$ and 5) superconductors, **270**, 193
Zybtsev, S., see Aukkaravittayapun, S., **270**, 231

ELSEVIER

Physica C 270 (1996) 365–366

PHYSICA C

Analytic Subject Index to Volume 270

AC transport losses
–in Ag-sheathed tape 107
AC-susceptibility
–of $GdBa_{2-x}Sr_xCu_3O_{7-\delta}$ 25
–of $YBa_2Cu_3O_x$ 258
–of $YBa_2Cu_3O_{7-x}$ 207
Accelerated humidity testing 129
Activation energy
–of $YBa_2Cu_3O_{7-\delta}$ ultrathin films 343
Anisotropy 231

c axis conductivity
–of $YBa_2Cu_3O_x$ single crystal 311
Critical current density
–of $(Hg_{0.7}Bi_{0.3})Sr_2(Ca_{1-x}R_x)Cu_2O_{6+\delta}$ 97
–of La_2CuO_4 thin films 305
–of $NdBa_2Cu_3O_{7-\delta}$ single crystal 223
–of $TlBa_2Ca_2Cu_3O_x$ films 91
–of $YBa_2Cu_3O_{7-x}$ thin films 75
–of $YBa_2Cu_3O_{7-x}$ 207
Critical current
–of Bi-2212/Ag tape 21
Current–voltage characteristics 242
Current-voltage characteristic 1, 231

Dopant content 317

Electrical resistance
–of $(Ce_{0.5}M_{0.5})Sr_2(Gd_{2-x}Ce_x)Cu_2O_y$ 167
Electrical resistivity
–of $(Pb,Mg)(Sr,R)_2(R',Ce)_2Cu_2O_y$ 253
–of $(Pb_{0.5}Cd_{0.5})(Sr_{0.9}R_{0.1})_2$ 249
–of Bi2212 thin film 173
–of $Nd_{2-x-y}Ca_yCe_xCuO_4$ 354
–of $YBa_2Cu_3O_{7-x}$ thin films 75

Far infrared spectra
–of $YBa_2Cu_3O_x$ single crystal 311
Flux lattice
–in $YBa_2Cu_3O_{7-\delta}$ ultrathin films 343
Flux pinning 68

–in $Eu_{1.5}Ce_{0.5}Sr_2Cu_2NbO_{10}$ 216
–in $NdBa_2Cu_3O_{7-\delta}$ single crystal 223

Grain allignment
–of $TlBa_2Ca_2Cu_3O_x$ films 91
Grain boundaries 75

HREM
–of $YBa_2Cu_3O_{7-x}$ thin films 75
Hubbard ladder 281
Hydrogenation
–of $YBa_2Cu_3O_{7-\delta}$ 333
Hysteresis model 68

I–T phase diagram 242
Interdiffusion experiments 135
Iodometric titration 155, 349
Irreversibility line
–of La_2CuO_4 thin films 305
Isotope effect 317

Lateral force-displacement hysteresis 68
Lattice deformation
–in Bi-2212/Ag tape 21

Magnetic structure
–of $Dy_2Mo_3Si_4$ 159
–of $Tb_2Mo_3Si_4$ 159
Magnetic susceptibility
–of $(Hg_{0.7}Bi_{0.3})Sr_2(Ca_{1-x}R_x)Cu_2O_{6+\delta}$ 97
–of $CaRCuO_3Cl$ 327
–of $Dy_2Mo_3Si_4$ 159
–of $Nd_{2-x-y}Ca_yCe_xCuO_4$ 354
–of $Tb_2Mo_3Si_4$ 159
Magnetization
–of $Eu_{1.5}Ce_{0.5}Sr_2Cu_2NbO_{10}$ 216
–of $Nd_{0.7}Sr_{1.3}Cu(O,F)_{4-\delta}$ 35
Multifilamentary tape 107

Neutron diffraction
–of $La_{2-x}Ba_xCuO_{4+y}$ 51
Nonmagnetic doping effect 274

Normal state properties
–of $YBa_2Cu_3O_x$ single crystal 311

Oxygen stoichiometry 155
–in $Bi_2Sr_2CaCu_2O_\delta$ 41
–in $GdBa_{2-x}Sr_xCu_3O_{7-\delta}$ 25
–in $HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ 193
–in $LaBa_2Cu_{3-x}Fe_xO_y$ 349
–in $YBa_2Cu_{3-x}Co_xO_y$ 349
–of $Bi_{2-z}Pb_zSr_2Ca_1Cu_2O_x$ 114
–of $La_{2-x}Ba_xCuO_{4+y}$ 51
–of $YBa_2Cu_3O_x$ 258

Pair density 281
Pair weakening effect 274
Pair-breaking time 317
Peak effect
–in $NdBa_2Cu_3O_{7-\delta}$ single crystal 223
Phase stability
–of $Bi_{2-z}Pb_zSr_2Ca_1Cu_2O_x$ 114
Phase transition
–in $La_{2-x}Ba_xCuO_{4+y}$ 51
Positron annihilation
–in $YBa_2Cu_3O_{7-\delta}$ 333
Post ablation
–of La_2CuO_4 thin films 305
Powder X-ray diffraction
–of $Tl_{0.5}Pb_{0.5}Sr_2Ca_2Cu_3O_9$ 267
Powder neutron diffraction
–of $Dy_2Mo_3Si_4$ 159
–of $Tb_2Mo_3Si_4$ 159
–of $Tl_{0.5}Pb_{0.5}Sr_2Ca_2Cu_3O_9$ 267
Pressure effects
–in $YBa_2Cu_3O_x$ 258

Raman scattering
–of $HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ 193
Raman spectroscopy
–of YBCO thin films 144
Reactive sintering
–of Bi-2223 297
Resistive transition
–of $YBa_2Cu_3O_{7-\delta}$ ultrathin films 343
Resonator 129
Rotational magnetization-vector 216

Self-fields 107
Single Cu-O layer superconductors 317
Spin cap 281
Stoichiometry
–of YBCO thin films 144
Structural phase transformation
–in $Bi_2Sr_2CaCu_2O_\delta$ 41
Structural properties
–of YBCO thin films 144
Structure
–of $(Ce_{0.5}M_{0.5})Sr_2(Gd_{2-x}Ce_x)Cu_2O_y$ 167
–of $(Hg_{0.7}Bi_{0.3})Sr_2(Ca_{1-x}R_x)Cu_2O_{6+\delta}$ 97
–of (Pb,Cd)(Sr,Eu)$_2$(Gd,Ce)$_2$Cu$_2$O$_y$ 249
–of (Pb,Mg)(Sr,R)$_2$(R′,Ce)$_2$Cu$_2$O$_y$ 253
–of $Bi_2Sr_2CaCu_2O_\delta$ 41
–of Ca*R*CuO$_3$Cl 327
–of $GdBa_{2-x}Sr_xCu_3O_{7-\delta}$ 25
–of $HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ 193
–of La_2CuO_4 thin films 305
–of $Nd_{0.7}Sr_{1.3}Cu(O,F)_{4-\delta}$ 35
–of $Nd_{2-x-y}Ca_yCe_xCuO_4$ 354
–of $Tl_{0.5}Pb_{0.5}Sr_2Ca_2Cu_3O_9$ 267
Substitution effects 223
Surface resistance
–of $NdBa_2Cu_3O_{7-x}$ 129
Surface stability
–of $NdBa_2Cu_3O_{7-x}$ 129
Synthesis
–of $(Ce_{0.5}M_{0.5})Sr_2(Gd_{2-x}Ce_x)Cu_2O_y$ 167
–of $(Hg_{0.7}Bi_{0.3})Sr_2(Ca_{1-x}R_x)Cu_2O_{6+\delta}$ 97
–of (Pb,Mg)(Sr,R)$_2$(R′,Ce)$_2$Cu$_2$O$_y$ 253
–of $(Pb_{0.5}Cd_{0.5})(Sr_{0.9}R_{0.1})_2$ 249
–of Bi-2223 297
–of Bi2212 thin film 173
–of Bi2223 135
–of Ca*R*CuO$_3$Cl 327
–of La_2CuO_4 thin films 305
–of $Nd_{0.7}Sr_{1.3}Cu(O,F)_{4-\delta}$ 35
–of $Nd_{2-x-y}Ca_yCe_xCuO_4$ 354
–of $YBa_2Cu_3O_{7-x}$ 207

Texture
–of Bi-2223 297
Theory of squid 1
Theory 155
Thermodynamic behaviour
–of $Bi_{2-z}Pb_zSr_2Ca_1Cu_2O_x$ 114

UHF-SQUID 1

Voltage reversal 231

d-Wave superconductor 274
Whisker 231

X-ray diffraction
–of Bi-2212/Ag tape 21
–of Bi2212 thin film 173
–of $TlBa_2Ca_2Cu_3O_x$ films 91
X-ray diffraction
–of $Bi_2Sr_2CaCu_2O_\delta$ 41

ELSEVIER

Physica C 270 (1996) 367–368

PHYSICA C

Materials Index to Volume 270

Ag-sheathed tape
–aC transport losses 107

Bi-2212/Ag tape
–critical current 21
–lattice deformation 21
–x-ray diffraction 21
Bi-2223
–reactive sintering 297
–synthesis 297
–texture 297
Bi2212 thin film
–electrical resistivity 173
–synthesis 173
–x-ray diffraction 173
Bi2223
–synthesis 135
$Bi_2Sr_2CaCu_2O_8$
–*X*-ray diffraction 41
–oxygen stoichiometry 41
–structural phase transformation 41
–structure 41
$Bi_{2-z}Pb_zSr_2Ca_1Cu_2O_x$
–oxygen stoichiometry 114
–phase stability 114
–thermodynamic behaviour 114

$CaRCuO_3Cl$
–magnetic susceptibility 327
–structure 327
–synthesis 327
$(Ce_{0.5}M_{0.5})Sr_2(Gd_{2-x}Ce_x)Cu_2O_y$
–electrical resistance 167
–structure 167
–synthesis 167

$Dy_2Mo_3Si_4$
–magnetic structure 159
–magnetic susceptibility 159
–powder neutron diffraction 159

$Eu_{1.5}Ce_{0.5}Sr_2Cu_2NbO_{10}$
–flux pinning 216
–magnetization 216

$GdBa_{2-x}Sr_xCu_3O_{7-\delta}$
–aC-susceptibility 25
–oxygen stoichiometry 25
–structure 25

$HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$
–oxygen stoichiometry 193
–raman scattering 193
–structure 193
$(Hg_{0.7}Bi_{0.3})Sr_2(Ca_{1-x}R_x)Cu_2O_{6+\delta}$
–critical current density 97
–magnetic susceptibility 97
–structure 97
–synthesis 97

La_2CuO_4 thin films
–critical current density 305
–irreversibility line 305
–post ablation 305
–structure 305
–synthesis 305
$La_{2-x}Ba_xCuO_{4+y}$
–neutron diffraction 51
–oxygen stoichiometry 51
–phase transition 51
$LaBa_2Cu_{3-x}Fe_xO_y$
–oxygen stoichiometry 349

$Nd_{0.7}Sr_{1.3}Cu(O,F)_{4-\delta}$
–magnetization 35
–structure 35
–synthesis 35
$Nd_{2-x-y}Ca_yCe_xCuO_4$
–electrical resistivity 354
–magnetic susceptibility 354
–structure 354
–synthesis 354
$NdBa_2Cu_3O_{7-\delta}$ single crystal
–critical current density 223
–flux pinning 223
–peak effect 223
$NdBa_2Cu_3O_{7-x}$
–surface resistance 129
–surface stability 129

$(Pb,Cd)(Sr,Eu)_2(Gd,Ce)_2Cu_2O_y$
–structure 249
$(Pb,Mg)(Sr,R)_2(R',Ce)_2Cu_2O_y$
–electrical resistivity 253
–structure 253
–synthesis 253
$(Pb_{0.5}Cd_{0.5})(Sr_{0.9}R_{0.1})_2$
–electrical resistivity 249
–synthesis 249
$Tb_2Mo_3Si_4$
–magnetic structure 159
–magnetic susceptibility 159
–powder neutron diffraction 159
$Tl_{0.5}Pb_{0.5}Sr_2Ca_2Cu_3O_9$
–powder X-ray diffraction 267
–powder neutron diffraction 267
–structure 267
$TlBa_2Ca_2Cu_3O_x$ films
–critical current density 91
–grain allignment 91
–x-ray diffraction 91

YBCO thin films
–raman spectroscopy 144
–stoichiometry 144
–structural properties 144
$YBa_2Cu_3O_x$ single crystal
–*c* axis conductivity 311
–far infrared spectra 311
–normal state properties 311
$YBa_2Cu_3O_x$
–aC-susceptibility 258
–oxygen stoichiometry 258
–pressure effects 258
$YBa_2Cu_3O_{7-\delta}$ ultrathin films
–activation energy 343
–flux lattice 343
–resistive transition 343

$YBa_2Cu_3O_{7-\delta}$
–hydrogenation 333
–positron annihilation 333
$YBa_2Cu_3O_{7-x}$ thin films
–critical current density 75
–electrical resistivity 75
–hREM 75
$YBa_2Cu_3O_{7-x}$
–aC-susceptibility 207
–critical current density 207
–synthesis 207
$YBa_2Cu_{3-x}Co_xO_y$
–oxygen stoichiometry 349